INDEX.

Page.

Abbott, Dr. W. L., Mammals collected on Borneo and some small adjacent islands by. 53
Abietites 289, 290, 317
angusticarpus 313
californicus 313
ellipticus 313
foliosus 314
linkii 313
macrocarpus 312, 313
marylandicus 314
Abudefduf clarki 534
rhomaleus 534
Abyssinia, the Hoffman Philip ethnological collection from 265
Acanthaspida 634
Acanthion crassispinis 113
longicaudum 113
Aclis bermudensis 278, 287, 437
carolinensis 438
cubana 435
dalli 435
floridana 436
mollusks of the genus, from the North Atlantic 435
rushi 436
striata 435
verrilli 437
walleri 435, 438
Acroschismus 497
Acrostichopteris 289
Actinometra annotea 18
coppingeri 16
cumingii 20
elongata 18
guttata 19
intricata 18
kukesii 19
maculata 26
meyeri 18
multiradiata 6, 16
mutabilis 18
parvicirra 5, 6, 17, 19, 42
paucicirra 18, 19
pectinata 17
polymorpha 18
pulchella 15
quadrata 18
rotalaria 19
simplex 18
solaris 34
trachygaster 18
Ægа, a new species of, from the Atlantic coast of the United States 623
ornata 623

Page.

Africa, a new cestode from a bustard from 637
crinoids of the coasts of 1
Agromyza melanopyga 449
Ailurin planiceps 114
Alaba incerta 287
Alabina cerithidioides 287
Alecto carinata 1, 34, 35
encrinus 36
flagellata 28
palmata 3, 27
parvicirra 18
phalangium 44
savignii 2, 24
timorensis 18
wahlbergii 2, 17, 19
Amanita 625
Amorpha fructicosa 255
Amphibamus 431
grandiceps 432
thoracatus 431, 433
Amphibian, new, from the carboniferous of Illinois 429
Amphimetra africana 8, 20
discoidea 2
philiberti 21
Amphisorex lesueurii 378, 379
Amphiuma 650
Amplinus 627
klugi 627
Anadasmus 224
Anaphe infracta 441, 445
Anastrepha ludens 181
Ancistrocerus 498
Ancistromma 582, 583
Andrena 492
andrenoides 493, 508
asteris 494, 508
claytoniæ 494
crawfordi 508
cressoni 508
desponsa 508
didelta 508
erigeniæ 508
fulvierus 244
hartfordensis 494, 509
hemileuca 508
hilaris 509
hippotes 509
illinoiensis 509
imitatrix 494, 509
var. profunda 509
texana 509
japonica 243
knuthi 243

Page.

Andrena knuthiana ... 243
lewisii ... 509
mandibularis ... 494, 509
multiplicata ... 493
nasoni ... 509
nivalis ... 493, 494
nuda ... 509
pilipes ... 244, 495, 509
polygoni ... 509
præcociformis ... 243
præcox ... 243
ribesina ... 509
rupshuensis ... 243
salictaria ... 509
sitiliæ ... 509
solidula ... 493
sparsipilosa ... 493
subcandida ... 493
texana ... 494
thoracica ... 244
verecunda ... 509
vicina ... 493
victima ... 508
Anelus ... 150, 162
reduncus ... 160, 162, 163
richardsoni ... 163
Anempheres diaphaniæ ... 188
Anilastus tricoloripes ... 478
Annandale, Nelson, Fresh-water sponges in the collection of the U. S. National Museum.—Part V. A new genus proposed, with Heteromeyenia radiospiculata Mills as type ... 593
Antæotricha ... 218
Antedon ... 651, 652, 653, 654
adriatica ... 9, 40
bifida ... 7, 9, 38, 39, 40
braziliensis ... 35
capensis ... 5, 34
carinata ... 6, 34, 36
(Crotalometra) flava ... 37
lusitanica ... 37
porrecta ... 37
dubenii ... 2, 3, 12, 40, 45
emendatrix ... 4, 28
flagellata ... 4, 28
flava ... 37
hupferi ... 3, 4, 7, 12, 39, 40
imparipinna ... 5, 27
impinnata ... 47
klunzingeri ... 4, 27
(Leptometra) phalangium ... 43
leucomelas ... 27
ludovici ... 21
lusitanica ... 37
magnicirra ... 5, 36
marginata ... 5, 26
marmorata ... 36
mediterranea ... 7, 9, 34, 40
mediterraneus ... 43, 44
mertensi ... 18
milberti, var. dibrachiata ... 2
multispina ... 38
omissa ... 37
palmata ... 5, 6, 26, 27
petasus ... 9
phalangium ... 43, 44

Page.

Antedon porrecta ... 37
protectus ... 26
rosacea ... 39, 40
savignyi ... 5
sclateri ... 5, 38
serripinna ... 5, 6, 30, 33
sp ... 36
spicata ... 6, 28
Anthidium affine ... 250
blanditum ... 249
prædentatum ... 249
maculosum ... 249
montivagum ... 249
pecosense ... 248, 249
philorum ... 250
var. abbotti ... 249
placitum ... 249
prædentatum ... 249
porteræ ... 249
poudreum ... 248, 249
tenuifloræ ... 249, 250
Anthophora albigena ... 259
atro-alba ... 263
blanda ... 261
circulata ... 259
confusa ... 259, 264
connexa (Podalirius connexus) ... 261
eversa ... 260, 264
finitima ... 260
fulvitarsis ... 261, 263, 264
hilgendorfi ... 261, 264
hispanica ... 261
melanognatha ... 263, 264
monacha ... 263
nigrocincta, var. canescens ... 262
niveata ... 260
quadrifasciata ... 259
retusa ... 263
retusiformis ... 262, 264
robbi ... 264
rufipes ... 259
savignyi ... 259, 264
senescens ... 263
senilis ... 262
sp ... 264
tedshenensis ... 261
testaceipes ... 261
venerabilis ... 261, 264
zonata buruensis ... 260, 264
whiteheadi ... 259, 260, 264
Anthosticte ... 417, 419, 420
aulophora ... 417
Aonyx cinerea ... 119
Apanteles ... 188
(Apanteles) lacteicolor ... 475
chrysorrhoea ... 475
contaminatus ... 475
(Dolichogenidea) banksi ... 173
lacteicolor ... 476
lacteus ... 475
(Protapanteles) africanus ... 174
bedelliæ ... 174
beneficus ... 175
chrysippi ... 175
conctiformis ... 176
flaviconchœ ... 192

Page.

Apanteles (Protapanteles) fulvipes 174
griffini 177
solitarius 175
(Pseudapanteles) consimilis 177
etiellæ 178
Apanteles, sp. 447
Aphanostephus skirrobasis 255
Aphis persicæ-niger 559
Apomotis 372, 373, 374, 375
Apomus 468
pusillus 468
Araucaria imbricata 303
reichenbachi 308
Araucarites 290, 294, 308
curvifolius 293
dunkeri 291
hamatus 291, 292
reichenbachi 308
virginicus 316, 317
Arbaciella 651
Arctictis binturong 115
Arctobolus 150, 162, 163
Arctogalidia stigmatica 116, 117
Ardrupia 228
Argentina, South America, descriptions of a new genus and species of Isopod crustacean of the family Idotheidæ, from the mouth of the Rio de la Plata 109
Arizona, descriptions of new genera and species of millipeds from 147
Art, pictorial, in the Philip Abyssinian collection, descriptions of 270
Arthrotaxis 290, 292, 295, 303
Arthrotaxopsis 289, 292, 295, 296
expansa 291, 297, 302, 310, 311
grandis 291, 296
pachyphylla 296
tenuicaulis 296
Arthrotaxus 303
Aspidogaster conchicola 237, 238
Asterias bifida 39
multiradiata 16
pectinata 16
Asteromeyenia plumosa 504
radiospiculata 504
Atelorias 424
anacanthus 424
Athesmia foxi 234
Atlantic coast of the United States, new species of Æga from the 623
Augochlora viridula 496, 508
Bartsch, Paul, New mollusks of the genus Aclis from the North Atlantic 435
The recent and fossil mollusks of the genus Bittium from the west coast of America 383
The recent and fossil mollusks of the genus Cerithiopsis from the west coast of America 327
and William Healey Dall, New species of shells from Bermuda 277

Page.

Bascanion constrictor 233, 239
Basketry of the Philip Abyssinian collection, description of 266
Bathycrinus 12, 50
aldrichianus 8, 46
campbellianus 46
gracilis 7, 46
perrieri 7, 46, 49
recuperatus 7, 47
Bathymetra 12
Bean, Barton A., and Alfred C. Weed, An electric ray and its young from the west coast of Florida 231
Notes on the genus Lepomis 369
Bees in the collection of the United States National Museum 2 241
Belonogastechthrus 498
zavattarii 498, 507
Belonogaster 498
elegans 498, 507
Benthogenia 415
cribellosa 415
Bermuda, New species of shells from 277
Bero elegans 540
zanclus 540
Berry, Edward W., A revision of several genera of gymnospermous plants from the Potomac group in Maryland and Virginia 289
Berry, S. Stillman, Preliminary notices of some new Pacific cephalopods 589
Biareolina neglecta 509
Bittium armillatum 384, 385, 386, 391
arnoldi 385, 411
asperum 384, 385, 397, 405, 406
lomaënse 406
attenuatum 383, 384, 385, 393, 394, 395
barbarense 405
(Bittium) johnstonæ 387
panamense 386
casmaliense 385, 411
catalinense 385, 403
inornatum 385
catalinensis 402
decussata 327
decussatum 385, 409
eschrichti 383, 389
eschrichtii 388
esuriens multifilosum 395
fastigiatum 384
fetellum 385, 409
filosum 383, 387, 393, 394
fortior 327
giganteum 385, 410
johnstonæ 384
(Lirobittium) asperum 385, 405
lomaënse 385, 406
catalinense 385, 402
inornatum 385, 403
cerralvoënse 385, 406
interfossa 385, 401
munitum 385, 404
munitoides 385, 405
ornatissimum 385, 403
mexicanum 412
munita 327

Page.

Bittium munitum 405
nitens 383, 400
oldroydæ 385, 408
ornatissimum 386
panamense 384
purpurea 327
purpureum 385
quadrifilatum 384, 385, 398
ingens 328, 363
recent and fossil mollusks of the genus, from the west coast of America 383
rugatum 384, 386, 397, 405
(Semibittium) armillatum 384, 391
attenuatum 384, 393
boreale. 384, 395
latifilosum. 384, 395
multifilosum. 385, 395
larum 407
nitens 384, 400
nicholsi 384, 399
purpureum 384, 391
quadrifilatum 384, 398
rugatum 384, 397
subplanatum 384, 395
vancouverense 384, 392
(Stylidium) eschrichtii 384, 385, 387
icelum 384, 388
monterey-ense 384, 389
tumidum 328, 364
vancouverense 385, 392
var. esuriens 383, 384
williamsoni 328, 360
Borneo, mammals collected by Dr. W. L. Abbott on 53
Bornite and chalcocite in the copper ores of the Virgilina district of North Carolina and Virginia, the relation of 513
Bos sondaicus 58, 61, 62, 63
Brachyphyllum 289, 303
crassicaule 305, 306, 307
germari 291
gracile 304
insigne 304
jauberti 304
kurrianum 291
macrocarpum 305, 306, 307
mamillare 303
moreauanum 304
obesiforme 306
elongatum 307
obesum 306
parceramosum 305, 306, 307
texense 306
(Bracon) Campyloneurus rugator 476
flavator 476
mavoritus 476
novitus 476
orbitalis 476
Branchiosaurus 432
Bryttus 373
albulus 369, 370
Busck, August, Descriptions of tineoid moths (Microlepidoptera) from South America 205

Page.

Bustard, a new cestode from an African 637
Caliroa amygdalina 190
Callitris 301
Calliurus 372
murinus 371
Campodea 148
Campoplex oxyancanthæ 188
Campyloneurus 476
bicolor 476, 477
bicolorinus 477
Cantharus massena 277, 287
orbignyi 277
Capillaster multiradiata 8, 13, 16
?Caput-Medusæ cinereum 27
Carboniferous of Illinois, two amphibians from the 429
Careliopsis 279
Cariama cristata 647
Carpolithus 298
Catalufa 528
compressus 528
umbra 528
Catolaccus 444
Ceanothus cressoni 508
Cenometra bella 4
emendatrix 6, 8, 28
Centrarchidæ 372, 374
Centrelus falcatus 154, 156
Centropyge 326
Cephalopods, preliminary notices of some new Pacific 589
Cephalotaxites 298
insignis 299
Cephalotaxopsis 289
brevifolia 300
magnifolia 299
microphylla 300
ramosa 299
rhytidodes 299
species 299
Ceramaster 422
Ceratophorus grinnelli grinnelli 562
utahensis 562
Cercis canadensis 255
Cerithiopsis abreojosensis 328
antemunda 329, 359
ara 282, 287
arnoldi 329, 357
assimilata 327
aurea 328
berryi 328
bicolor 329, 357
bimarginatum 327
carpenteri 328
cerea 327, 328, 333
cesta 328
(Cerithiopsida) diegensis 329, 347
rowelli 329, 348
(Cerithiopsidella) alcima 329, 350
antefilosa ... 329, 349
cosmia 329, 348
(Cerithiopsina) adamsi 328, 346
necropolitana ... 328, 329, 345
(Cerithiopsis) abreojosensis 338
aurea 344

Page.

Cerithiopsis (Cerithiopsis) berryi 339
carpenteri 334
cerea 333
cesta 341
fatua 329, 331
galapagensis 340
halia 344
neglecta 343
oxys 332
pedroana 335
pupiformis 337
sorex 333
stejnegeri 342
dina 343
tuberculoides 336
var. albonodosa 337
columna 327, 329, 354
convexa 327
cosmia 328, 348
curtata 329, 352
decussata 327, 383, 409
destrugesi 329, 365
diomedeae 329, 359
excelsa 329, 352
excelsus 328, 352
fatua 328
fortior 327, 384, 401
fossil mollusks of the genus, from the west coast of America 327
fossilis 329, 352
galapagensis 328
gloriosa 329, 352
halia 328
infrequens 329, 355
ingens 329, 363
intercalaria 327
lo 285, 287
magellanica 329, 358
montereyensis 329, 363
movilla 281, 287
munita 327, 383, 404
munitum 384
neglecta 328
oxys 328
paramoea 329, 356
pedroana 328, 335
peruviana 329, 365
pesa 283, 287
pupiformis 327, 328, 337
purpurea 327, 384, 391
sorex 327, 328, 333
stejnegeri 328, 342, 343
dina 32
truncata 328, 361
stephensæ 328, 329, 362
truncata 329, 361
tuberculoides 327, 328, 336
albonodosa 327, 328, 337
tumida 329, 364
vicola 284, 287
williamsoni 329, 360
Cerithium assimilatum 327
destrugesi 327
filosum 383, 387
infrequens 355
neglectum 327, 343
peruvianum 365

Page.

Cervulus pleiharicus 71
Cervus brookei 69
kuhli 61
kuhlii 70
Cestode, new, from an African bustard 637
Chætilia 169
Chætodon argentatus 319
Chætodontidæ, fishes of the family, from the Philippine Islands, descriptions of three new 319
Chætodontopius 326
Chalcocite and bornite in the copper ores of the Virgilina district of North Carolina and Virginia, the relation of 513
Chapmania tapika 643, 644, 647
tauricollis 643, 647
Chatelainea 465, 470, 471, 472
pterodesmoides 463, 464
Chatelaineidæ 472
Chelonus bipustulatus 476
knabi 178
laticinctus 179
wesmaelii 179
Chione cancellata 288
mazyckii 288
Chiriscus 169
australis 170
Chloralictus nymphaearum 496
Chlorion auripes 507
ichneumoneus 507
(Isodontia) auripes 503, 507
(Palmodes) rufiventris, var. opuntiæ 557
pollens 507
Chonodesmus 468
alatus 468
regularis 469
Chrysiptera melas 535
Chytodesmidæ 460
Chytodesmus laqueatus 461
Circeaster 422
Cirroteuthis macrope 589
Cl[adobates] speciosa 121
Clariger cosmurus 544
exilis 544
Clark, Austin Hobart, The recent crinoids of the coasts of Africa 1
The systematic position of the crinoid genus Marsupites 649
Cockerell, T. D. A., Bees in the collection of the United States National Museum 2 241
Coelioxys apicata 246
confusus 247
decipiens 246
lepotaxis 247
(Liothyrapis) apicata 246
penetatrix 247
perseus 247
siamensis 246, 247
verticalis 246
Coins in the Philip Abyssinian collection 275
Colobometra chadwicki 5, 9, 30
Colubraria swiftii 287
Columbella mercatoria 277, 278
somersiana 277, 287
Comactinia meridionalis 18

	Page.
Comanthus (Bennettia) wahlbergii	17
(Comanthus) rotalaria	19
parvicirra	8,17,19
rotalaria	19
sp.	19,20
trichoptera	13,17,18
(Validia) parvicirra	18
wahlbergii	5,8,13
Comatella maculata	6,8,13,16
Comatilia	654
Comatula adeonæ	1,24
bicolor	34
brachiolata	18
brevicirra	18
carinata	1,2,34,36
celtica	43
coccodistoma	16,17
fimbriata	16
helianthus	19
indica	3,26
leucomelas	2,3,27
mediterranea	40
mertensi	18
multiradiata	1,2,24
orientalis	19
palmata	3,27
picta	35,36
rotalaria	19
scita	27
simplex	18
solaris	3,15
sp.	1,24,36
woodwardii	43
Comissia ignota	17
Conchyloctenia parummaculata	448
Cook, O. F., New tropical millipeds of the order Merocheta, with an example of kinetic evolution	451
Notes on the distribution of millipeds in southern Texas, with descriptions of new genera and species from Texas, Arizona, Mexico, and Costa Rica.	147
The hothouse milliped as a new genus	625
Copper ores of the Virgilina district of North Carolina and Virginia, the relation of bornite and chalcocite in the	513
Coraliiophaga dactylus	288
Corythroichthys quinquarius	526
Cosmiometra gardineri	6,8,38
woodmasoni	38
Costa Rica, descriptions of new genera and species of millipeds from	147
Costumes belonging to the Philip Abyssinian collection, description of	273
Cottus nozawæ	537
Crabro	559
cinctibellus	563
decemmaculatus	564
(Hoplocrabro) ferrugineipes	564
novanus	564
interruptus	563
(Solenius) townsendi	563
sonorensis	564
(subgenus)? schwarzi	563
Crambus caliginosus	184
Craspedometra ater	9,21
madagascarensis	8,23
Crassinella parva	288
Crawford, J. C. Descriptions of new hymenoptera 2	439
Crawfordia cockerelli	497,509
labrosi	497,509
rudbeckiæ	497,510
Cremastus hymeniæ	189
Crepidula convexa	287
Crinoids, recent, of the coasts of Africa	1
Crocisa decora	254
Crotalometra	12
flava	7,37
magnicirra	5,8,36
porrecta	8,37
Croton neomexicanum	584
Cryptodesmus	465,467
alatus	461,468,469
olfersii	467,468
pusillus	467,468
Cryptolechia canariella	212
huachuella	212
roseomarginella	212
Cryptoxilos dichromorphus	180
Cyanopterus	62,476
Cyclometra flavescens	51
Cyclostrema granulum var	288
Cyclothyrophorus	157,160
salvini	160
Cymatium chlorostoma	287
Cynogale barbatus	117
bennettii	118
Cynopterus brachyotis	127
brachyotis	128
insularum	127,128
Cyparissidium	295,298
gracile	292
Daictes	193
Dall, William Healey, and Paul Bartsch, New species of shells from Bermuda	277
Dammara microlepis	304
Danais chrysippus	176
Dasypoda hirtipes	256
japonica	256
plumipes	256
tibialis	256
Decametra alaudæ	8,33
informis	32
möbiusi	8,31
modica	8,32
taprobanes	33
Decempeda cornubiensium	38
Deltocephalus labiatus	506
Democrinus parfaiti	47
Dendrocopus villosus extimus	620
Dendroctonus barberi	561
Diachæma crawfordi	181
Diæretus nipponensis	182
piceus	182
Dialithocidaris	651
Dianthidium parvum	248
simile	248
texanum	248
Diastoma	384

Page.

Dichrometra flagellata ... 8, 13, 27, 28
klunzingeri ... 9, 27
palmata ... 5, 9, 14, 27
protectus ... 5, 9, 14, 26, 27
sp. ... 27
Diodontus adamsi ... 560
bidentatus ... 560
Dipsacaster ... 418
Docodesmus ... 453, 455, 458, 471
vincentii ... 461
Dolichozele ... 182
koebelei ... 182
Dosilia ... 593
plumosa ... 593
Draciscus sachi ... 541
Draculo ... 545
mirabilis ... 545
Dryobates hyloscopus ... 611
picoideus ... 616
pubescens ... 617
sanctorum ... 619
villosus ... 618, 619
audubonii ... 596, 599, 601, 602, 603
enissomenus ... 596, 597, 614, 615, 617
extimus ... 596, 597, 615, 620
fumeus ... 597, 619, 620
harrisi ... 595, 597, 610, 611, 615, 616
hylobatus ... 596, 597, 615, 617, 618
hyloscopus ... 597, 609, 611, 612
icastus ... 597, 609, 612, 613, 615
intermedius ... 597, 613, 614, 617, 618
jardinii ... 597, 615, 618, 619, 620
leucomelas ... 604
leucothorectis ... 597, 608, 609, 610, 611, 613
maynardi ... 596, 603
monticola ... 596, 597, 604, 606, 607, 608, 610
orius ... 597, 609, 611, 613
picoideus ... 597, 608, 616, 617
piger ... 603, 616
sanctorum ... 597, 619, 620
septentrionalis ... 595, 597, 599, 600, 604, 605, 606, 607, 608
terræ-novæ ... 596, 597, 607, 608, 616, 617
villosus ... 595, 596, 598, 599, 601, 602, 604, 605, 606, 608
Echinostrobus ... 295, 305
Eledonella heathi ... 589
Elenchus tenuicornis ... 492
Elis sexcincta ... 552
Emballonura anambensis ... 132, 133
monticola ... 132, 133
pusilla ... 132, 133
Endiocrinus, sp. ... 49
Endoxocrinus wyvillethomsoni ... 7, 45
Enoplolindenius ... 562
Epagoge sulphuriana ... 227
Epeolus pusillus ... 247
Epimys anambæ ... 108
asper ... 106
balæ ... 105

Page.

Epimys carimatæ ... 108, 109, 110
crassus ... 103, 104
cremoriventer ... 111, 112
ephippium ... 98
firmus ... 102, 103, 104
kina ... 111, 112, 113
nasutus ... 104, 105, 106
neglectus ... 98, 99, 100, 102
ducis ... 99, 100, 101
lamucotanus ... 100, 101
neglectus ... 101
perflavus ... 108, 110, 111
rajah ... 107, 109, 110
rajah-surifer ... 108, 109
sabanus ... 105, 106
saturatus ... 109, 111
sebucus ... 102, 103, 104
serutus ... 108, 109
spatulatus ... 111, 112, 113
ubecus ... 109, 111
whiteheadi ... 106
perlutus ... 106
Ervilia subcancellata ... 288
Erycina linella ... 288
Eschrichtii ... 383
Etiella schisticolor ... 178
Eucallitris ... 301
Eucera cinerea ... 257
sociabilis ... 256, 257
Eudiocrinus atlanticus ... 44
(Pentametrocrinus) atlanticus ... 44
Eumeta bimarginatum ... 327
intercalaria ... 327
Eumicrerpeton parvum ... 429
Eupathocera luctuosæ ... 502, 508
pictipennidis ... 502
vulgaridis ... 503
Eupomotis ... 369, 371, 372, 373, 374, 375
gibbosus ... 373, 374
Eurelus ... 148, 153, 154, 160, 162
soleatus ... 151, 153, 156
Evolution of useless characters in millipeds ... 451
Falculina ochricostata ... 211
Felis (Ailurin) planiceps ... 114
bengalensis ... 115
marmorata ... 56
nebulosa ... 54
planiceps ... 114
Filinota hermoselia ... 206, 207
peruviella ... 207
Fisher, Walter K., New genera of starfishes from the Philippine Islands ... 415
Fishes, new genera and species of, from Japan and the Riu Kiu Islands ... 525
of the family Chætodontidæ from the Philippine Islands, descriptions of three new ... 319
Fissuridea bermudensis ... 286
(Stenoplax) bermudensis ... 288
Flatfishes, notes on two rare ... 201
Florida, an electric ray and its young from the west coast of ... 231
Fontaria gracilis ... 626, 628
Frenela ... 301
Frenelopsis ... 301
Funambulus insignis diversus ... 79

	Page.
Gaillardia pulchella	255, 256
Galeopterus abbotti	126
aoris	125
borneanus	124, 125, 126
lautensis	125, 126
pumilus	126
Galiteuthis armata	592
phyllura	592
Gastrochaena rostrata	288
Geinitzia	314
Gephyrocrinus	12
grimaldii	5, 7, 46
Glasses, sporadic, on the supposed origin of	481
Glischropus tylopus	134
Glosselus	150
musarum	163, 165
naresii	166, 167
Glyphisodon violaceus	535
Glypta scitula	196
Glyptocephalus cynoglossus	548
sasæ	548
zachirus	548
Glyptostrobus	290, 292, 303
brookensis	291, 297, 302, 303
angustifolium	302
expansus	291, 297
fastigiatus	291
groenlandicus	303
ramosum	302, 303
Goldberger, Joseph, A new trematode (Styphlodora bascaniensis) with a blind Laurer's canal	233
Gonada falculinella	211
Gonioterma	224
anna	224
burmanniana	224
emma	226
inga	225
isabella	224
rosa	224
stella	225
vita	226
Goniozus	188
Gonostigmus	559
typicus	560
Gorytes (Gorytes) neglectus	567
(Hoplisoides) costalis	567
knabi	569
(Hoplisus) helianthi	569
mystaceus	567
(Pseudoplisus) gyponacinus	568
venustiformis	568
sapellonis	567
Gutierrezia sarothræ, var. microcephala	584
Gymnachirus fasciatus	201, 202
nudus	202
Gymnura alba	124
Habrobracon beneficientior	182
brevicornis	182
Habrocytus phycitidis	444
piercei	443
thyridopterigis	444
Halictoxenos grænicheri	496
nymphæari	496, 508
viridulæ	496, 508
Halictus albipes	242

	Page.
Halictus alexoides	242
calceatus	242
interruptus	242
morio	242
nikkoensis	241
nymphæarum	508
pauxillus	242
quadrinotatus	242
sparsus	508
tumulorum	242
versatus	508
zephyrus	508
Haminea succinea	287
Hasta argentidorsella	210
Hecabolus	186
Helarctos euryspilus	120
Helenium tenuifolium	256
Helianthus	253, 255
pumilis	568, 571
Helioperca	373
Hemerophila	228
Hemigalus hardwickii	117
Heniochus monoceros	323
singularius	321
Herpestes brachyurus	117
semitorquatus	117
Heterometra gravieri	8, 25
joubini	8, 25
reynaudii	25
savignii	2, 5, 9, 14, 21, 24
Heteromeyenia plumosa	593
radiospiculata	593
Hippoglossoides dubius	546
elassodon	546
hamiltoni	546
katakuræ	546
Hipposideros	60
dyacorum	129, 130
galeritus	129, 130
insolens	129, 130
larvatus	128, 130
Holacanthus multifasciatus	324
Hollister, N., Remarks on the long-tailed shrews of the eastern United States, with description of a new species	377
Horismenus	445
apantelivorus	446
balloui	446
cockerelli	446, 447
cupreus	446
metallicus	446
nigroaenus	446
nigrocyaneus	446
productus	446
Hormiopterus fasciatus	183
graciliformus	183
Houbara undulata	646
Hough, Walter, The Hoffman Philip Abyssinian ethnological collection	265
Hylobates leuciscus	142, 143
mülleri	142, 143
albibarbis	142, 144
mülleri	142, 144
Hylodes	650
Hymenaster	425
Hymenasterides	425

Page.

Hymenasterides zenognathus... 425
Hymenia fascialis... 189
Hymenoptera, descriptions of new... 439
Hyocrinus recuperatus... 47
Hyperallus caliroæ... 189
Hyposoter disparis... 478
Hystrix longicauda... 113
Ianthopsis... 634
Ichneumon-flies, descriptions of one new genus and eight new species of... 475
descriptions of six new genera and thirty-one new species of... 173
Ichthelis... 372
Iconaster... 422, 423
Idiogenes... 642
flagellum... 643, 646
grandiporus... 643, 646
horridus... 643, 646
otidis... 643, 646
Idotheidæ, descriptions of a new genus and species of isopod crustacean of the family... 169
Illinois, two amphibians from the carboniferous of... 429
Ilyocrinus recuperatus... 47
Inodes texana... 163
Insects of the order Strepsiptera, with descriptions of new species... 487
Iolanthe... 634
Iolella glabra... 634
speciosa... 634
spinosa... 634
Iomus... 457, 458, 471
incisus... 455, 458, 459, 460, 461
lepidus... 78
obliquus... 460
platanus... 459, 460
thomsoni... 78
(Iphiaulax) Cyanopterus clypeolus... 476
Iridometra... 6
ægyptica... 5, 9, 42
mauritiana... 8, 40
nana... 41, 42
parvicirra... 42
Ischnochiton limaciformis... 287
(Stenoplax) bermudensis... 287
Isopod crustacean of the family Idotheidæ, descriptions of a new genus and species of... 169
Isotima... 193
Jærella... 633
armata... 634
Janiridæ from the northwest Pacific, descriptions of a new genus and species of... 633
Japan, descriptions of new genera and species of fishes from... 525
Japyx... 148
Jordanidia... 527
raptoria... 527
Juniperites... 294
baccifera... 301
sternbergianus... 293
Kendall, W. C., Notes upon two rare flatfishes (Gymnachirus fasciatus Günther and G. Nudus Kaup)... 201
Kerivoula bombifrons... 134, 135, 136

Page.

Kerivoula hardwickii... 134, 135
papillosa... 135
pellucida... 134
picta... 135
Lactarius... 625
Lactophrys tritropis... 535
Laney, Francis Baker, The relation of bornite and chalcocite in the copper ores of the Virgilina district of North Carolina and Virginia... 513
Laricopsis... 313
Lariscus diversus... 79, 92
Larix... 313
Larrada distincta... 582
tenuicornis... 582, 583
Larropsis... 583
filicornis... 583
portianus... 583
tachysphecoides... 583
Laurer's canal, a new trematode with a blind... 233
Leinotoxenos... 496
Leionotus... 498
annulatus... 499
Lepidodendron... 304
Lepidopsetta bilineata... 547
mochigarei... 547
Lepidotrigla kishinouyi... 543
Lepiopomus... 372
Lepomis... 369, 372, 373, 374, 375
albulus... 370
auritus... 371
cyanellus... 371
euryorus... 369, 371
gibbosus... 370, 372
gillii... 370
heros... 370, 371
holbrookii... 369, 371
megalotis... 371, 374
notes on the genus... 369
pallidus... 370, 373, 374
phenax... 374
Leptodemas cariniscutis... 194
Leptometra celtica... 7, 9, 43, 44
phalangium... 7, 9, 44
Leptonemaster venustus... 17
Leptostrobus... 313
longifolius... 315
Limnerium (Campoletis) prodeniæ... 199
Lindenius... 502
(Enoplolindenius) clypeatus... 502
Lirobittium... 284
asperum... 285
lomaënse... 285
catalinense... 285
inornatum... 285
cerralvoënse... 285
interfossum... 285
larum... 285
munitum... 285
munitoide... 285
ornatissium... 285
Lithosoma... 422
actinometra... 422
Lithurgis apicalis opuntiæ... 253
Loligo opalescens... 501
Loxocephalus... 199

Page.

Lutra cinerea ... 119
lovii ... 118
Lycorina? apicalis ... 195
Lydiaster ... 422
Lyon, Marcus Ward, jr., Mammals collected by Dr. W. L. Abbott on Borneo and some of the small adjacent islands ... 53
Lyonsia beana ... 288
Lyroda ... 582
Macaca fascicularis ... 137
nemestrina ... 136
Macacus cynomolgus ... 59, 60
Macoma mitchelli ... 288
Macrocallista maculata ... 288
Macrocentrus (Amicroplus) crambivorus ... 183
Macrocera ... 258
Macrochiridotea ... 169
Macroxus rufogaster, var. borneensis ... 92
Mammals collected by Dr. W. L. Abbott on Borneo and adjacent islands ... 53
Manis ... 61
javanica ... 63
Marilaunidium origanifolium ... 256
Marrubium vulgare ... 248, 253, 254, 255
Maryland and Virginia, gymnospermous plants from the Potomac group in ... 289
Marsupites ... 649, 650, 651, 652, 653
The systematic position of the crinoid genus ... 649
Mastigometra ... 10, 14
Mastrus ... 195
Megachile ... 262
albitarsis ... 254
circumcincta ... 251
comata ... 254
dentiventris ... 252
ericetorum ... 251
heterodonta ... 254
inimica ... 253
ladacensis ... 252, 253
megagyna ... 253
pamirensis ... 251
piliventris ... 252
pollicaris pereximia ... 253
pruina ... 254
rupshuensis ... 253
sayi ... 254
heterodonta ... 254
paludicola ... 254
vallorum ... 253
Megaderma ... 62
carimatæ ... 128
spasma ... 128
carimatæ ... 128
trifolium ... 128, 136
Megarhyssa greenei ... 191
lunator ... 191
Meliana albilinea ... 185, 193
Melina lamarckiana ... 288
Mellisodes ... 257
Mengea ... 491
Mengenilla ... 491
chobautii ... 491, 492
Menestho ... 435
Merocheta, new tropical millipeds of the order ... 451

Page.

Merrill, George P., On the supposed origin of the moldavites and like sporadic glasses from various sources ... 481
Mesochorus areolatus ... 192
infernalis ... 192
nigrisignus ... 192
patulus ... 192
scitulus ... 192
Metal work of the Philip Abyssinian collection, description of ... 266
Metaxia convexa ... 327
Mexico, new genera and species of millipeds from ... 147
Micrerpeton caudatum ... 429
Microbracon fulvipes ... 184
howardi ... 183, 184
Microlepidoptera from South America ... 205
Microphis extensus ... 525
pleurotænia ... 525
Microplitis cinctus ... 185
melianæ ... 185, 193
Microprotus cæcus ... 635
Microsorex hoyi ... 381
winnemana ... 377
Milliped, the hothouse, as a new genus ... 625
Millipeds, new genera and species from Texas, Arizona, Mexico, and Costa Rica. 147
new tropical, of the order Merocheta ... 451
Milvus korschun ... 647
melanotis ... 647
milvus ... 647
Miscophinus nigriceps ... 587
texanus ... 587
Mitra chelonia ... 287
hanleyi ... 287
haycocki ... 277, 287
Mitromorpha biplicata ... 287
Mitsukuri ... 245
Moiraster ... 419, 420
Moldavites, on the supposed origin of the ... 481
Mollusks, of the genus Acils, from the North Atlantic ... 435
recent and fossil, of the genus Bittium, from the west coast of America ... 383
recent and fossil, of the genus Ceri-thiopsis, from the west coast of America ... 327
Monarda citriodora ... 253, 255, 256
Moodie, Roy L., Two amphibians, one of them new, from the carboniferous of Illinois. 429
Moths, tineoid, from South America, descriptions of ... 205
Muntiacus pleiharicus ... 71, 72, 73
rubidus ... 73, 74
Mus carimatæ ... 108
ephippium ... 98
lingensis ... 59
rajah ... 107
rattus ... 59
sabanus ... 104
serutus ... 108
whiteheadi ... 106, 107
Muscites ... 293

Page.

Muscites imbricatus ... 291
sternbergianus ... 293
stolzii ... 301
Mustela flavigula henricii ... 119
henricii ... 119, 120
(Martes) henricii ... 119
nudipes ... 119
Myotis carimatæ ... 133, 136
muricola ... 134, 136
Myoxocephalus brandti ... 538
stelleri ... 538
yesoensis ... 538
Myrmecolax nietneri ... 490, 492
Myzostoma ... 2
Nageiopsis ... 289, 298
Nannosciurus ... 60
borneanus ... 97
exilis ... 97
Narcine brasiliensis ... 231, 232
Nasalis larvatus ... 62, 141
Necedes ... 211
Nemaster lineata ... 12
Nemipterus bathybius ... 532
japonicus ... 532
Neocomatella ... 9
Neosorex albibarbis ... 377
Neotis caffra ... 637, 641
Neotoma albigula ... 157
Nicteris javanicus ... 131
Nilsonia ... 289
Niteliopsis ... 586
Nomia aureipennis ... 245
chalybeata ... 245
elliotii ... 245
punctulata ... 245
terminata ... 245
North Carolina and Virginia, the relation of bornite and chalcocite in the copper ores of the Virgilina district of ... 513
Notogonia bella ... 584
truncata ... 584
Numida ptilorhyncha ... 646
Nycteris javanica ... 136
javanicus ... 131
Nycticebus borneanus ... 136
Nymphaster ... 423
Oberholser, Harry C. A revision of the forms of the hairy woodpecker (Dryobates villosus [Linnæus]) ... 595
Ocynectes maschalis ... 539
modestus ... 539
Odostomia ... 435
(Chrysallida) nioba ... 286, 287
Odynerus (Ancistrocerus) capra ... 506
clypeatus ... 506
histrio ... 500, 506
histrionalis ... 501, 506
sexcingulati ... 507
tigris ... 501, 507
erynnys ... 506
foraminatus ... 499
(Leionotus) anormis ... 506
arvensis ... 499, 506
bifurcus ... 506
foraminatus ... 506
fundatiformis ... 506

Page.

Odynerus (Leionotus) fundatus ... 500, 506
pedestris ... 507
turpis ... 507
Olethreutes gerda ... 227
Oligometra ... 6
serripinna ... 8, 13, 30, 33
var. occidentalis ... 33
Onychelus ... 150, 153, 157, 160, 162
dentatus ... 158, 159, 160
hospes ... 157, 158
obustus ... 153, 157, 158, 159
suturatus ... 159
Ophthalmochlus auripedis ... 503, 507
Ordrupia friserella ... 228
Orgilus ashmeadi ... 477
Ornaments belonging to the Philip Abyssinian collection, description of ... 273
Orthomorpha ... 626
areata ... 627
armatus ... 627, 628
blainvillei ... 626
erichsonii ... 627, 628
flavicornis ... 627
gracilis ... 626
klugii ... 627
nitidus ... 627
palicaudatus ... 627, 628
pococki ... 627
triramus ... 627
Osmia subfasciata ... 255
Ostracion concatenatus ... 535
gibbosus ... 536
Otis tarda ... 646
Oxidus ... 628
Pachylometra sclateri ... 5, 8, 38
Pachysoma brachyotis ... 127
Pacific, A new genus and species of Janiridæ from the northwest ... 633
Pacific, notices of some new cephalopods from the ... 589
Pagrus pagrus ... 624
Panurginus boylei ... 497, 509
Paradesmus ... 626, 627
erichsoni ... 627
kalonotus ... 627
klugii ... 627
picteti ... 627
Paradoxurus philippinensis ... 56, 116, 117
stigmaticus ... 116
Parandrena andrenoides ... 489
Parapanteles ... 476
Passalœcus annulatus ... 561
melanocrus ... 561
Pauropus ... 148
Pecten ornatus ... 288
Peleopoda irenella ... 209
lobitarsis ... 208
maroniella ... 208
notandella ... 209
Pentacrinus (Endoxocrinus) wyville-thomsoni ... 45
wyville-thomsoni ... 45
Pentametrocrinus atlanticus ... 9, 44
sp ... 9
Pentapus formosulus ... 531
microdon ... 531

Page.

Pentozoe peradeniya 504, 505, 506
Peridontodesmus 467
flagellatus 468
flagellifer 470
purulicus 470
Peristenus 180
Perometra afra 8, 43
diomedeæ 43
pusilla 43
Philip, Hoffman, The Abyssinian ethnological collection gathered by 265
Philippine Islands, new genera of starfishes from 415
three new fishes of the family Chætodontidæ from 319
Phobocampe crassiuscula 480
Phygadeuon 193
(Bathymetis) patulus 193
(Daictes) fukaii 194
(Mastrus) neodiprioni 195
Phyllorhina galerita 129
larvata 128
Picoides americanus 617
Picus audubonii 599, 600
canadensis 598, 600
cuvieri 604
harrisi 615
insularis 603
jardinii 618
leucomelanus 598, 600
leucomelas 598, 600
(Leuconotipicus) jardinii 618
martinæ 598, 599
martini 598, 600
philippsi 598, 600
septentrionalis 604
villosus 598, 599
var. major 604
medius 598, 600
minor 601
Pierce, W. Dwight, Notes on insects of the order Strepsiptera, with descriptions of new species 487
Pimpla instigator 480
(Pimpla) disparis 480
porthetriæ 480
Pinites 312, 317
solmsi 313, 315
Pinus 289, 315
peterseni 315
schista 316
seed of 316
submarginata 312
vernonensis 316, 317
Pison conformis 570
cressoni 570
Pithecus baweanus 137, 138
broca 137
carimatæ 137, 138
cupidus 137, 138
mandibularis 137, 138
nemestrinus 136, 138
Plants, gymnospermous, from the Potomac group in Maryland and Virginia 289
Platyinius amoenus 530
macrophthalmus 530
Platyspathius 185
pictipennis 185

Page.

Plesia 552
Pleurobranchus, sp. ind 287
Pleurota literatella 205
Pleurotropis telenomi 445
Plinthaster 420, 423
Plumana piperatella 229, 230
Plumatella 594
Podium carolina 556
rufipes 556
Podocarpus 298
Podocidaris 651
Pododesmus rudis 288
Podothecus sturioides 541
xystes 541
Polistes 497
aurifer 498, 507
hebræus 507
metricus 487, 489, 507
rubiginosus 507
variatus 488, 490, 507
Polydesmus 457, 626
klugii 627
picteti 628
Polylepis 627
Polyporus 559
Polypus californicus 590
leioderma 590
Polystenidea 186
metacomet 187
parksi 186
Polystenus 186
Pomotis 372
pallidus 371
Pongo pygmæus pygmæus 142, 144
Pontioceramus 420, 422
grandis 421
Porogynia lata 644, 645
Portheria dispar 480
Potamophilus barbatus 117, 118
Prepinus 315
Presbytis 60
cristata 56, 140
Priocnemis idoneus 556
subconicus 556
subopacus 556
Proanthidium kashgarense 250
oblongatum 251
Prodenia ornithogalli 191
Protapanteles 187, 188
Psathyrometra 10, 14
Pseudanthias venator 529
Pseudapanteles 188
annulicornis 177
Pseudomasaris coquilletti 555
edwardsii 555
Pseudomelecta interrupta 246
Pseudopanurgus labrosiformis 509
labrosus 497, 509
rudbeckiæ 489, 497, 509, 510
solidaginis 510
Pseudoxenos 498
arvensidis 499, 506
erynnidis 499, 506
foraminati 499, 506
fundati 500, 506
histrionis 500, 506
pedestridis 500, 507
robertsoni 501, 506

Page.

Pseudoxenos tigridis 501, 507
Psoricoptera apicepuncta 206
Pterandrena asteris 493
solidaginis 493
Pterochilus diversicolor 554
flavobalteatus 553
leucotænius 554
luteicollis 554
morrisoni 553
seneconis 553
Pteropus 61
speciosus 127, 128
vampyrus 127
Putorius nudipes 119
Pygathrix chrysomelas 140
cristata 140, 141
frontata 140, 141
rubicunda carimatæ 138, 139
ignita 138, 139
rubicunda 138, 139, 140
rubida 138, 139, 140
Radcliffe, Lewis, and Hugh M. Smith, Descriptions of three new fishes of the family Chætodontidæ from the Philippine Islands. 319
Ransom, Brayton Howard, A new cestode from an African bustard 637
Ratufa baramensis 94
octhurnata 93, 94, 96
ephippium 92, 93, 94, 95, 96, 97
baramensis 93
griseicollis 94, 96
sandakanensis 94
vittata 94, 95, 96, 97
vittatula 95, 96, 97
Ray, an electric, and its young from the west coast of Florida 231
Religion, description of objects pertaining to, in the Philip Abyssinian collection 274
Rhacura 634
Rhea americana 647
Rhinocricus 162
Rhinolophus 60
affinis 131, 132
borneensis 132
spadix 131
trifoliatus 131, 132
Rhizocrinus 51
chuni 5, 9, 47
loffotensis 3, 50
parfaiti 7, 9, 47
rawsoni 50
sp 50
weberi 5
Rhopalum angulicolle 506
Richardson, Harriet, Description of a new species of Æga from the Atlantic coast of the United States 623
Descriptions of a new genus and species of isopod crustacean of the family Idotheidæ from the mouth of the Rio de la Plata, Argentina, South America 160

Page.

Richardson, Harriet, Descriptions of a new genus and species of Janiridæ from the Northwest Pacific 633
Rio de la Plata, Argentina, South America, isopod crustacean from the mouth of the ... 160
Rissoa caribæa 287
interfossa 384, 401
Rissoina interfossa 401
Riu Kiu Islands, new genera and species of fishes from the 525
Rohwer, S. A., Descriptions of new species of wasps, with notes on described species 551
Rossia macrosoma 591
pacifica 591
Rubæ 255
Rudbeckia, sp 254
Rusa brookei 69
kuhlii 70
Russula 625
Salix brachycarpa 507
Salvia pitcheri 254
Sapindopsis 289
Sceliphron lætum 507
Schistosiphon 497
Sciurus arendsis 87, 88, 90
armalis 82
atricapillus 80, 83
borneensis 92
borneoensis borneoensis 79, 81
palustris 81
carimatæ 81, 82, 83, 84
caroli 80
griseicauda 80
datus 86, 90
dulitensis 84, 85, 86, 91
ephippium 92
grayi 92
hippurelius 92
hippurus grayi 92
lamucotanus 85, 86, 90, 91
lautensis 87
lowii 91, 92
marinsularis 89, 90, 91
parvus 91, 92
pelapius 82, 83, 84
poliopus 88, 89, 91
prevostii 80, 81, 82, 83
proserpinæ 59, 81, 83
sanggaus 79, 82
serutus 86
siriensis 87, 88, 90
vittatus 59, 62, 74, 75, 84, 85, 87, 88
albescens 88
dulitensis 84, 88
Scolia atrata 552
flavifrons 552
quadripunctata 552
Scolopendrella 148
Scopesis 189
Scytonotus 479
Sebastodes tanakæ 536
Seed of Pinus?, species 316
Semele proficua 288
Semibittium 334
armillatum 334

	Page.
Semibittium attenuatum	388
boreale	384
latifilosum	384
multifilosum	384
nicholsi	384
nitens	384
purpureum	384
quadrifilatum	384
rugatum	384
subplanatum	384
vancouverense	384
Semnopithecus chrysomelas	140
frontatus	140
rubicunda	138
Senecio cyambalarioides	554
Sequoia	289, 292, 307
ambigua	294, 297, 310, 311
couttsiæ	308
delicatula	310
densifolia	308
gracilis	293, 310, 311
inferna	308
pagiophylloides	292
pectinata	309
reichenbachi	308, 309, 310
longifolia	308
rigida	309
sempervirens	308
species	308
subulata	309, 310
washingtoniana	308
woodwardii	309
Sesamia fusca	188
Sexava nubila	504, 505
Shells, new species of, from Bermuda	277
Shrews, long-tailed, of the eastern United States, description of a new species	377
Sideriaster	417, 419
Sierola ambigua	551
Sierolomorpha	551
Silaon	585, 586
chilensis	587
inermis	587
mexicanus	587
Simia cristata	140
nemestrina	136
pygmæus	144
Sircdon	650
Siren	650
Smith, Hugh M., and Lewis Radcliffe, Descriptions of three new fishes of the family Chætodontidæ from the Philippine Islands	319
Snyder, John Otterbein, Descriptions of new genera and species of fishes from Japan and the Riu Kiu Islands	525
Solarium krebsi	287
Solenius	563
Solierella	585, 586
Sorex acadicus	381
fimbripes	378, 380, 381
fisheri	377, 380
fontinalis	378
fumeus	377, 380, 381
longirostris	377, 378, 379, 380
macrurus	381
personatus	377, 378, 379, 380, 381
Sorex personatus, lesueurii	378, 379
platyrhinus	378
South America, descriptions of tineoid moths from	205
Spathius	185
Sphenolepidium	289
dentifolium	310
kurrianum	291
parceramosum	291
recurvifolium	310
sternbergianum	293, 294, 297
densifolium	293, 297
virginicum	291
Sphenolepis	289, 290, 292
kurriana	291, 292, 293, 296, 297, 303
sternbergiana	293, 294, 311, 312
sternbergianus	293
Sphex (Ammophila) pictipennis	502
vulgaris	503
campestris	508
luctuosa	508
(Psammophila) luctuosa	502
Sphyroncotænia	637
uncinata	637, 642, 643, 644, 645, 646
Spirobolellus	163
richardsoni	163
Spirobolus	150
naresii	166
nietanus	154, 157
Spizaëtus limnaëtus	125
Sponges, fresh-water, in the collection of the U. S. National Museum	593
Spongilla lacustris	593
Stanton, Timothy W., Final supplement to the catalogue of the published writings of Charles Abiathar White, 1857–1908	197
Starfishes, new genera of, from the Philippine Islands	415
Stelis costalis	247
louisæ	247
Stenoma acronitis	213, 214
addon	221, 222
apicalis	215
binubila	222
comma	218
crocuta	222
demas	223
disjecta	217
elegans	220
fasciatum	217
fraterna	222
fraternella	212, 220
genetta	222
gunni	218
hamon	223
immundum	220
inscitum	219
io	213
lactis	216
loxogrammos	217
loxotoma	212, 220
major	212
maroni	220
mendoron	214
nestes	214
phœbe	222

	Page.
Stenoma renselariana	217
salome	219
similis	222
speratum	219
thoristes	220
trastices	215
vanis	221
venatum	217
Stenopleura	187
Stephanometra indica	6, 8, 13, 26
marginata	5, 9, 14, 26
Stiboscopus thoracicus	193
Stichotrema dallatorreanum	503, 504, 505
Stictodesmus creper	461
Stigmus americanus	557
aphidiperda	558
conestogorum	557
fraternus	558, 559
coloradensis	559
fulvipes	559
var. coquilletti	559
inordinatus	559
hubbardi	559
Strepsiptera, with descriptions of new species	487
Stylidium	384
Stylodesmus	464
Stylops	492
andrenoides	493, 508
asteridis	493, 494, 508
childreni	508
claytoniæ	494, 509
vierecki	500
grænicheri	493
hartfordensis	494, 509
imitatrix	494
mandibularis	494, 509
multiplicatæ	493
nasoni	509
nudæ	495, 509
pilipedis	495, 509
solidulæ	493
sparsipilosæ	493
subcandidæ	493
swenki	493
vicinæ	493
Styphlodora bascaniensis	238
solitaria	236, 258
Sus barbatus	62, 74
gargantua	54, 56, 62, 75
Sympiesis felti	448
Tabanus tabani	440
tæniola	440
kingi	440
Tachysphex amplus	570, 572
antennatus	580
argyrotrichus	572, 574
bruesi	577
consimilis	575, 579
coquilletti	572
exsectus	573
fedorensis	576, 577
gillettei	571
helianthi	570
hitei	580
intermedius	577
johnsoni	573, 574

	Page.
Tachysphex leensis	578
maurus	575
montanus	575
mundus	574, 579
neomexicanus	575
nigrior	575
opwanus	574
pauxillus	575
punctifrons	577
punctulatus	578, 579, 580
semirufus	572, 580
sphecodoides	578
tarsatus	579, 580
tenuipunctus	577
wheeleri	579, 580
Tachytes	501
chrysocercus	575, 579
vicinus	581, 582
xenoferus	502, 508, 581
Tachytixenos indicus	501, 502, 508
Tæniopteris	289
Tanaostigmodes howardi	442
slossonæ	442
tetartus	442, 443
tychii	442
Tarsius borneanus	136
tarsier	136
Taxites	298, 300
Taxodium (Glyptostrobus) brookense	302
angustifolium	302
denticulatum	291
expansum	291, 297
fastigiatum	291
ramosum	302
Telenomus benefactor	439
gowdeyi	441, 445
kingi	440
Telipomis	372
Tentametrocrinus atlanticus	7
Tethyaster	417, 419
subinermis	418
Tetragonotheca ludoviciana	254
Tetralonia chinensis	258, 259
floralia	258
japonica	259
mitsukurii	257
nipponensis	258, 259
okinawæ	259
Tetraneuris linearifolia	254
Tetraonarce occidentalis	231
Tetrastichus antiguensis	447
ovivorus	448
punctifrons	448
Tetrax tetrax	646, 647
Texas, descriptions of new genera and species of millipeds from	147
Thalassometra	12
lusitanica	7, 37
multispina	8, 38
omissa	7, 37
Thecurus sumatræ	113
Thompsoniella arcuata	505, 506
Thoracaster	415
Thuia graminea	301
Thuites choffati	291

	Page.
Thuites (Cupressites?) kurrianus	291
germari	291
gramineus	301
Thyreopus (blepharipus) melanius	565
(Crossocerus) xanthognathus	566
(Thyreopus) venator	565
Tinea boliviana	229
Tiphia	551
namea	552
Tortrix auriferana	227
parana	228
Torymus montserrati	441
Toxophoroides	196
Tragulus borneanus	64
brookei	69
carimatæ	67, 68
fulvicollis	67
hosei	66, 67
kanchil	67
longipes	66, 67
napu	65
borneanus	64
nigricans	65
pretiellus	64, 65
sebucus	64
virgicollis	67, 68
Treatise on theology, description of, in the Philip Abyssinian collection	272
Trematode, a new, description of	233
Trichys lipura	113
Tridesmus	453, 455, 458, 471
portoricensis	459
sectilis	459, 461
Triforis infrequens	327
Trigoniulus	150
Triozocera	490
texana	489, 491
Triton	650
Trochospongilla leidyi	594
Tropidobracon	184
Tropiometra carinata	3, 5, 8, 34, 36
encrinus	9, 14, 36
picta	3, 7, 12, 36, 40
Trypoxylon	551
Tumion	298
Tupaia carimatæ	122, 123
dorsalis	121, 123
ferruginea longipes	122
gracilis	122, 123
inflata	122, 123
longipes	122, 123
minor	123
speciosa	121
splendidula	122, 123
Turbonilla aspera	383, 384, 405
(Careliopsis) bermudensis	279, 287
styliformis	279
(Strioturbonilla) haycocki	280, 287
peilei	280, 287
puncta	281
Turritella eschrichtii	383, 387
Tylobolus	162

	Page.
Uintacrinus	652, 653
Utensils of wood and horn belonging to the Philip Abyssinian collection, descriptions of	270
Vespertilio hardwickii	134
muricola	134
vampyrus	127, 128
Vesperugo (Glischropus) tylopus	134
Vesquia tournaisii	299
Viereck, H. L., Descriptions of one new genus and eight new species of ichneumon-flies	475
Descriptions of six new genera and thirty-one new species of ichneumon-flies	173
Virgilina district of North Carolina and Virginia, the relation of bornite and chalcocite in the copper ores of the	513
Virginia and North Carolina, The relation of bornite and chalcocite in the copper ores of the Virgilina district of	513
gymnospermous plants from the Potomac group in, a revision of several genera of	289
Vitrinella helicoides	288
Viverra? binturong	115
hardwickii	117
tangalunga	115, 116
Wasps, descriptions of new species of	551
Weed, Alfred C., and Barton A. Bean, An electric ray and its young from the west coast of Florida	231
Notes on the genus Lepomis	369
White, Charles Abiathar, Final supplement to the catalogue of the published writings of	197
Widdringtonia	301, 303
Widdringtonites	289, 292, 294, 301
brookense	317
dunkeri	293
gracilis	292
haidingeri	291
kurrianus	291
ramosus	297, 301, 302, 303
reichii	301, 303
subtilis	301
ungeri	301
Williamsonia	290
?bibbinsi	313
Woodpecker, hairy, a revision of the forms of the	595
Xenos	497
auriferi	498, 507
species	490
Xenotis	373
Xystroplites gillii	373
longimanus	373
Zatropis deuterus	444
Zele rosenbergi	478
testaceator	182, 478
Zootechny, descriptions of articles pertaining to, in the Philip Abyssinian collection	274
Zoyphium rufipes	585

UNIV. OF MICHIGAN,

JAN 10 1912